

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	110	(gaskins henry).in. and utilization.clm.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/10/22 18:39
L2	1	(gaskins henry).in. and (utilization and power adj control).clm.	US-PGPUB ; USPAT; EPO; JPO	OR	OFF	2007/10/22 18:41
S1	1	"7069463".pn.	USPAT; EPO	OR	OFF	2007/10/12 10:08
S2	3	"646988".ap.	US-PGPUB	OR	OFF	2007/10/12 11:01
S3	0	"5719800".pn.	US-PGPUB	OR	OFF	2007/10/12 11:01
S4	1	"5719800".pn.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 09:49
S5	433	batter\$4 with (output near3 level\$1 near2 power)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:26
S6	3	batter\$4 near4 deplet\$4 with (output near3 level\$1 near2 power)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:28
S7	0	batter\$4 near4 deplet\$4 with (output near3 level\$1 near2 votlage)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:28
S8	0	batter\$4 near4 deplet\$4 with (output near2 votlage)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:28
S9	67	batter\$4 near4 deplet\$4 with (output near2 voltage)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:28
S10	5	batter\$4 near4 deplet\$4 with (output near2 voltage near2 level)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:30
S11	1	batter\$4 near4 deplet\$4 with (current adj level)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:57
S12	563	current adj draw with (heat temperature)	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:39
S13	12	current adj draw with (heat temperature) and 713/3\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:39
S14	0	batter\$4 near4 deplet\$4 and 714/\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/12 13:58

EAST Search History

S15	31	batter\$4 near4 deplet\$4 and "714"/\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/12 16:00
S26	1	"5557557".pn.	USPAT; EPO	OR	OFF	2007/10/12 16:24
S27	882114	"5557557".pn. and substitut\$4 high with low	USPAT; EPO	OR	OFF	2007/10/12 16:25
S28	1	"5557557".pn. and high with low	USPAT; EPO	OR	OFF	2007/10/12 16:25
S29	0	"5557557".pn. and "minimize the energy utilized by the program on the processor. This may be accomplished by replacing high power instructions with lower power instructions"	USPAT; EPO	OR	OFF	2007/10/12 16:25
S30	1	"5719800".pn. and "502" same "503"	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:08
S31	47	utilization with power near2 modes	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:08
S32	3	utilization with power near2 modes and 713/3\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:08
S33	22	utilization same power near2 modes and 713/3\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:10
S34	61	(utilization usage) same power near2 modes and 713/3\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:10
S35	41	(utilization usage) with modes and 713/32\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 11:11
S36	26	(utilization usage) with modes same (processor cpu microprocessor) and 713/32\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 12:47
S37	20	(utilization usage) with throttl\$5 same (processor cpu microprocessor) and 713/32\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:17
S38	100	throttl\$4 near4 power adj consumption and 713/3\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:17
S39	50	throttl\$4 near4 power adj consumption and 713/32\$.ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:17

EAST Search History

S40	10	throttling power adjustment same threshold and 713/32 ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:27
S41	12	throttling temperature same threshold and 713/32 ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:27
S42	28	throttling same temperature near threshold and 713/32 ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:45
S43	5	throttling same temperature near thresholds and 713/32 ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:46
S44	8	throttling same temperature near thresholds and 713/32 ccls.	US-PGPUB ; USPAT	OR	OFF	2007/10/22 14:46
S45	77	"5719800"	USPAT; EPO	OR	OFF	2007/10/22 15:46
S46	1	"5719800".pn.	USPAT; EPO	OR	OFF	2007/10/22 18:38